		Group-II	Paper		
Physics		Group-II			
Time	: 15 Minutes	(Objective Type)	and D to as		
Note	e: Four possible answers the spoice which you think				
	question are given. in front of that question				
	correct, fill th	at circle in nont of an ink in the answe	r-book. Cutting		
7	Marker or Pe	n ink in the allowed	ult in zero mark		
	that question.				
4.4	One tera is e	qual to:			
1-1-	(a) 10^{-12}	(b) 10 ⁻¹⁸			
	(c) $10^{12} \sqrt{}$	(d) 10 ¹⁸			
2-	Least count	of metre rule is:			
_	(a) 1 cm	(b) 1 mm √			
	(c) 1 dm	(d) 0.01 cm			
3-		ranslatory motion	if it moves alo		
	a:				
	(a) Circle	(b) Straight li	ne		
	(c) Curved pa	th (d) Line with	out rotation 1		
4-	Inertia depen				
	(a) Velocity	(b) Mass √			
10 70		(d) Speed			
5-	Two equal b	ut unlike paralle	I forces havir		
different line of action produce:					
	(a) Torque	(b) Couple √			
6-	(c) Equilibrium	(d) Neutral ed	quilibrium 💮		
	Earth's gravita at:	ational force of att	raction vanished		
	(a) 6,400 km	(b) Infinity √			
	(c) 42,300 km	(d) 1,000 km			

7-	above the surface of Earth:				
	(a) 2 g	(b) $\frac{1}{2}$ g			
	(c) $\frac{1}{3}$ g	(d) $\frac{1}{4}$ g $\sqrt{}$			
8-	Work will be maximum when the angle between force and displacement will be:				
	(a) 90°	(b) 0° √			
	(c) 60°	(d) 180°			
9-	At sea level, the atmospheric pressure is:				
1	(a) 10107 Pascal	(b) 10300 Pascal			
	(c) 10130 Pascal	(d) 101300 Pascal √			
10-	The water convert	s into ice at a temperature:			
	(a) 0°F _P _R	(b) 32°F √			
	(c) -273 K	(d) 0 K			
11-	Rooms are heated	using gas heaters by:			
	(a) Conduction only	y The state of the			
	(b) Convection and radiation √				
	(c) Radiation only				
40	(d) Convection only				
12-	The thermal condu				
	(a) 0.8 Wm ⁻¹ k ⁻¹				
	(c) $0.6 \text{ Wm}^{-1} \text{ k}^{-1} $	(d) $0.2 \text{ Wm}^{-1} \text{ k}^{-1}$			

The state of the s	Group-II	Marke
Physics 4 45 Hours	(Subjective Type)	173
Time: 1.43 1.0	(Part-I)	

- 2. Write short answers to any FIVE (5) questions:
- (i) Write two names of measuring instruments.

 The names of two measuring instruments are:
 - 1. The meter rule
 - The measuring tape
- (ii) Differentiate between base quantities and derived quantities.

Base quantities are the quantities on the basis which other quantities are expressed.

The quantities that are expressed in terms of bas quantities are called derived quantities.

(iii) Define acceleration.

Ans Acceleration is defined as the rate of change velocity of a body.

Acceleration =
$$\frac{\text{change in velocity}}{\text{time taken}}$$
Acceleration =
$$\frac{\text{final velocity} - \text{initial velocity}}{\text{time taken}}$$

$$a = \frac{V_t - V_i}{t}$$

(iv) Define vibratory motion.

The back and forth motion of a body, about its position of equilibrium (mean position) is called vibratory motion. For example, motion of pendulum.

v) Differentiate between scalar and vector.

Ans A physical quantity which can be completely escribed by its magnitude is called a scalar.

A vector can be described completely by magnitude along with its direction.

vi) State the Newton's third law of motion.

Newton's third law of motion states that "To every action force there is an equal and opposite reaction force."

(vii) What is meant by centripetal force?

Ans Centripetal force is a force that keeps a body to move in a circle.

$$F_c = \frac{mv^2}{r}$$

(viii) What is meant by vernier constant?

Vernier constant or least count is the minimum distance that can be measured with the help of vernier callipers.

3. Write short answers to any FIVE (5) questions: 10

(i) Differentiate between like and unlike parallel forces.

Ans Like parallel forces have same direction. But unlike parallel forces have opposite direction.

(ii) Define the resolution of forces.

Ans Splitting up of a force into two mutually perpendicular components is called the resolution of that force.

$$F = F_x + F_y$$

Centre of mass of a system is such a point where an applied force causes the system to move without rotation.

(îv) State Newton's law of gravitation.

Everybody in the universe attracts every other body with a force which is directly proportional to the product of their masses and inversely proportional to the square of the distance between their centres.

(v) What is meant by geo-stationary satellites?

The satellites which complete their orbit once around Earth in 24 hours are called "Geo-stationary satellites". These remain in front of same point on Earth, all the time.

(vi) Why can we not feel gravitational force between the bodies around us?

Ans As from formula of Law of Gravitation,

$$\mathbf{OPF} = G \frac{m_1 m_2}{d^2}$$

where G is the proportionality constants and value of G is $6.673 \times 10^{-11} \text{ Nm}^2 \text{ Kg}^{-2}$.

Due to small value of G, the gravitational force of attraction between objects around us is very small and we don't feel it.

(vii) Define unit of work, joule.

Ans SI unit of work is Joule. It is defined as:

The amount of work is one joule when a force of one newton displaces a body through one meter in the direction of force."

 $1J = 1N \times 1m$

write down the two disadvantages of fossil fuels.

Disadvantages of fossil fuels are given below:

Fossil fuels release harmful waste products which pollute the environment.

Fossil fuel release the toxic substance that can cause serious health problems such as headache, tension, nausea, allergic reactions, irritation of eyes, nose and throat, asthma, lungs cancer, heart diseases and even damage to brain, nerves and other organs of our body.

Write short answers to any FIVE (5) questions: 10

What is meant by density? What is its SI unit? Ans Density:

Density is defined as mass per unit volume.

Formula:

Density = $\frac{\text{mass}}{\text{volume}}$

SI Unit:

III)

SI unit of density is Kg m⁻³.

Define elasticity.

The property of the body because of which they restore ts original shape when external force ceases to act.

State Pascal's law.

Ans Pascal's law is stated as:

"Pressure applied at any point of a liquid enclosed in a container, is transmitted without loss to all other parts of the liquid."

(iv) Define specific heat capacity and write its formula. Specific heat capacity of a substance is the amount of heat required to raise the temperature of 1 kg mass of

that substance through 1 K.

Its formula is:

$$c = \frac{\Delta Q}{m \Delta T}$$

(v) Gaps are left in railway tracks. Why?

Ans Gaps are left in railway tracks to compensate thermal expansion during hot season.

(vi) What causes a glider to remain in air?

Ans A glider is a small aeroplane without engine. Glider pilot uses upward movement of hot air current due to convection of heat. These rising currents of hot air is called thermals. Glider rides over these thermals. The upward movement of air current in thermals helps them to stay in the air for long time.

(vii) What is greenhouse effect?

Ans As the concentration of CO_2 in air increases, less heat energy is lost from the surface of the Earth. Therefore, the average temperature of the surface gradually increases. This is called greenhouse effect.

(viii) We wear white and light coloured clothes in summer. Why?

Me wear white and light coloured clothes in summer because, white and light colours are bad absorber and good reflector of heat. That's why heat is not absorbed by white or light coloured clothes.

(Part-II)

Note: Attempt any TWO (2) questions.

Q.5.(a) Write the advantages and disadvantages of friction. (4)

Ans Advantages and Disadvantages of Friction:
Friction has the advantages as well as disadvantages. Friction is undesirable when moving at

high speeds because it opposes the motion and thus limits the speed of moving objects. Most of our useful energy is ost as heat and sound due to the friction between various moving parts of machines. In machines, friction also causes wear and tear of their moving parts.

However, sometimes friction is most desirable. We cannot write if there would be no friction between paper and the pencil. Friction enables us to walk on the ground. We cannot run on a slippery ground. A slippery ground offers very little friction. Hence, anybody who tries to run on a slippery ground may meet an accident. Similarly, it is dangerous to apply brakes with full force to stop a fast moving vehicle on a slippery road. Birds could not fly, if there is no air resistance. The reaction of pushed air enables the birds to fly. Thus in many situations, we need friction while in other situations we need to reduce it as much as possible.

A stone is dropped from the top of the tower. The (b) stone hits the ground after 5 seconds. Find the height of the tower and the velocity with which (5)the stone hits the ground.

Ans

or

Initial velocity $v_i = 0$

Gravitational acceleration g = 10 ms⁻² t = 5 sS = h = ? $V_{\epsilon} = ?$

Applying the equation,

h =
$$v_i t + \frac{1}{2} g t^2$$
, we get
h = $0 \times 5 s + \frac{1}{2} \times 10 \text{ ms}^{-2} \times (5 s)^2$
h = $(0 + 125) \text{ m}$

 $h = 125 \, \text{m}$

Applying the equation to find the velocity of the stone

$$v_f^2 - v_i^2 = 2gh$$

 $v_f^2 - (0)^2 = 2 \times 10 \text{ ms}^{-2} \times 125 \text{ m}$
 $v_f^2 = 2500 \text{ m}^2\text{s}^{-2}$
 $v_f = 50 \text{ ms}^{-1}$

Thus the height of the tower is 125 metres and it will hit the ground with a velocity of 50 ms⁻¹.

Q.6.(a) Define torque or moment of force. Explain on what factors, does it depend? (4)

The turning effect of a force is called torque or moment of the force."

The torque or moment of a force depends upon the force F and the moment arm L of the force. Greater is a force, greater is the moment of the force. Similarly, longer is the moment arm greater is the moment of the force. Thus the moment of the force or torque τ is determined by the product of force F and its moment arm L. Mathematically,

Torque $\tau = F \times L$

SI unit of torque is newton-metre (Nm). A torque of 1 N m is caused by a force of 1 N acting perpendicular to the moment arm 1 m long.

(b) Calculate the power of a pump which can lift 70 kg of water through a vertical height of 16 metres in 10 seconds. Also find the power in horse power.

Mass of water m = 70 kgHeight S = 16 mTime taken t = 10 sForce required F = w = m g $= 70 \text{ kg} \times 10 \text{ ms}^{-2}$ = 700 NWork done $W = F \times S$

or
$$W = 700 \text{ N} \times 16 \text{ m}$$

 $= 11200 \text{ J}$
 $= \frac{W}{t}$
 $P = \frac{11200 \text{ J}}{10 \text{ s}} = 1120 \text{ Js}^{-1}$
 $= 1120 \text{ watts}$
As $1 \text{ hp} = 746 \text{ watts}$
 $P = \frac{1120 \text{ watts}}{746 \text{ watts}} \text{ hp}$
 $= 1.5 \text{ hp}$

Thus, power of the pump is 1.5 hp.

- 1.7.(a) Define Young's Modulus. Derive the formula and write the unit. (4)
- Ins For Answer see Paper 2015 (Group-I), Q.8.(a).
- b) A brass rod is 1 m long at 0°C. Find its length at 30°C. (Coefficient of linear expansion of brass = 1.9 × 10⁻⁵ k⁻¹) (5)

L_o = 1 m

$$t = 30^{\circ}\text{C}$$

 $t_o = 0^{\circ}\text{C}$
 $T_o = 0 + 273 = 273 \text{ K}$
 $T = 30 + 273 = 303 \text{ K}$
 $\Delta T = T - T_o$
 $= 303 \text{ K} - 273 \text{ K}$
 $= 30 \text{ K}$
 $\alpha = 1.9 \times 10^{-5} \text{ K}^{-1}$
Since, $L = L_o(1 + \alpha \Delta T)$